DOI: 10.1103/P R L .96.177801

PACS i b : 61.30.P , 61.30.V , 81.16.F , 87.14.G

To be a solution of the second a a $16.3 \ \mu \text{m}, \ 48502 \ \text{b} \ ,$ 50 nm), ba 🐧 f N y E a 🛪 B Lab , I . T a b Tf ab aT a f a DNA - a C 0.02 5 mg/ml, a T V 1 50 μl, a $\overline{\mathbf{T}}$ f i fa $\overline{\mathbf{T}}$ fff $\overline{\mathbf{T}}$ - (a a a a , S O, a $\overline{\mathbf{T}}$ $\overline{\mathbf{T}}$ 1 a -, .; a a 15 α 110). T \P and R 0.5 12 mm and R are R are R are R are R and R are R are R and R are R are R are R and R are R are R and R are R and R are R and R are R are R are R are R are R are R and R are

In the second of the second o

a TTa CLaTf a LC

[6] M. C a ., J. R . (N.Y.) , , 1111 (2003).

[7] J.F. Ma a **T** E.D. S a, S ___, 506 (1994).

[8] T.T.P , D.E.S , a S.C., S _, , 2016 (1997).

[11] R.D. Ka a 🕽 J. T , P . R . L . . , 3181 (1995).

[12] W ab 1 1/10000 DNA a W 1 YOYO-1 (M | a P | b | ,488 | A - a | a | a | 510 | 550 | a | YOYO-1 | 1 | 15 | b | f | DNA.

[13] I.I.S a , , S.V.S a , , a **7**O.D.La C . P . L . _ , 88 (2001).

[14] L.S. L a, P . Na . A a. S . U.S.A. , , 94 (1963).

(1963). [15] AON (488 a a N 510 550 N **7** a 10 ³ 10 ⁴ wt. % 74,P 3 .PaS.A.

ba 🕽 LC aı f T.S.a aab Tf b b [23,29]. Q a T

f a f a a a a a

f a a LC

a [30], a a [9] a T a a a f a Taaa T. Wa J J , S. Ga ff, R. La , C. R. Sat a, J. S , a J. Ta . T , b I i f C a J AJa Ma , NSF Na a J E I a (UIUC), a NSF G a N . DMR-0504516 (KSU) a **¬** DMR-0409769 (UIUC).

- [3] V. V. T. I, H. K, a S. P. a, P. R. L. . _, 065502 (2004).